


	00000 000 0000 000000000
000000 00000	
00000 000000	
	A 0000
	15gsm[] 21gsm[] 60gsm[] 20) [][][][] [][] [][] [][][][][][][][][][
0000	1. 0000 0000 00 0000 000 000 00 00000 000 0000










المنتج التعبئة والتغليف والشحن من الألياف بفا 05 الألياف الاصطناعية الرطب-- وضعت محبوكة للقشرة



أسئلة وأجوبة من الألياف بفا 05 الألياف الاصطناعية الرطب-- وضعت محبوكة للقشرة

0000	
q1: 000000 00 0000 00	A1: [].
q2: 0000 00 00	a2: 1 :[[[[[[]]]]]]ton
q3: 000 000000 000000 000	a3: 00000 000 0000 .00000 0000 0000 00000 000000
q4: 000000 0000000 00 00	a4: 000000 000000 00 00000 000000 0000 0
q5: 0000 00 000 000 0000 0000 000 000 0000 00	a5: 000000 00000 00000000 00000 000 00 00

q6: 000000 0000 00 0000	a6: 00000 00000 .00000 000 000 000 0000 0
q7: 00000 0000 0000 00 00	A7: 000000 00000 00000 .000 00000 0000 00
q8: 000 000000 000000 000	a8: 000 0000 000 000 .0000000 00000 0000