



□□□□ □□□□GTRX09-973 SS□□□□□□□□□□□□

□□	□□□□GTRX09-973 SS□□□□□□□□□□□□
□□□	□□□
□□□□□	□□
□□	□□□□
□□□□	□□□
□□	□□
□□□□	1.6m□1.8m□2.0m□2.4m□3.2m□□□□□□□□
□□	25gsm□□□□□□□□□□12-80gsm□
□□	□□ □□□□;□□□□□□□;□□□□□□□;
□□	□□□□□□□□□□

□□□□ □□□□GTRX09-973 SS□□□□□□□□□□□□




[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)





[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

□□□□GTRX09-973 SS□□□□□□□□□□□□□□□□□□□□



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



loaded in container



transporting the goods  
to the port

GTRX09-973 SS

Q1	A1
Q2	A2
Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7

Q8

A8 24