


GR8SMS

	GR8SMS
	+SMS
	GR8
	3.2M
	<ul style="list-style-type: none"> <li>100</li> <li>elongation</li> <li></li> <li></li> </ul>
	<p>Gram &lt;25gsm</p> <p>25~55gsm</p> <p>Gram &gt; 55gsm</p>

	GSM	34.32	ASTM D3776
MD	N /5	79.87	ASTM D5035-95
CD	N /5	31.73	ASTM D5035-95
MD		80.37	ASTM D5035-95
CD		76.10	ASTM D5035-95
	H.2Ø	36	IST 80.6
	L /S	197.18	ASTM D737-75

GR8SMS

PP



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

GR8SMS

SMS



**Disposable Underwear**



**Nonwoven Shoes Cover**



**Protective Clothing**



**Nonwoven Pillow bag**



**Nonwoven Bed Sheet**



**Face Mask**



**Medical Wrapping**



**Disposable Bouffant Cap**



**Nonwoven Sleeve**

GR8SMS



Production Line



Product Packaging



Loading

GR8 SMS

JUNQIAN 58500 - GUIDE  
 2005  
 1.6M 1.9M 2.1M 2.5M 3.2M  
 pp  
 sms

SGS MSDS BUREAU VERITAS CE Nemko  
 TÜVRheinland ATC CTI  
 “ ”  
 “ ”  
 ”



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

GR8 SMS



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

GR8 SMS

Q1	A1
Q2	A2
Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7



Q8

A8 24