

□□□□ HNYB - CPL22M 100□□□□□22□□□□□□□□

□□	HNYB - CPL22M 100□□□□□22□□□□□□□□
□□□	100□□□
□□□□□	□□
□□	□□□□
□□	□□□□22□
□□	□□
□□□□	2.2m□□□□□□
□□	40gsm□□□□□□□□30-300gsm□
□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	<ol style="list-style-type: none"> <li>1.□□□□□□□□□□□□□□□□</li> <li>2.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</li> <li>3.□□□□□□□□□□□□□□□□</li> </ol> □□□□□□□□□□□□□□□□

□□□□ HNYB - CPL22M 100□□□□□22□□□□□□□□



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



□□□□□□HNYB - CPL22M 100□□□□□□22□□□□□□



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

HNYB - CPL22M 100 22

Q	A
Q1	A1
Q2	A2 1; 1ton
Q3	A3
Q4	A4
Q5	A5
Q6	A6 3-6
Q7	A7 OEM
Q8	A8 24

