

## HZKJ-K

名称	HZKJ-K
规格	
用途	
产地	
重量	
长度	3.2m
厚度	20gsm-30gsm
其他	20-260gsm
备注	1. 规格 2. 规格 3. 规格 4. 规格 5. 规格 6. 规格 7. 规格 8. 规格
其他	

规格	重量 g / m <sup>2</sup>	厚度 mm	抗拉强度 N / 5cm		伸长率		断裂强力	断裂伸长率	备注
			MD	CD	MD	CD			
HZKJ-D20	20	0.12	≥35	≥38	≥14	≥15	≥5000	≥5000	
HZKJ-D25	25	0.14	≥50	≥52	≥15	≥16	≥4500	≥4500	
HZKJ-D30		0.18	≥76	≥80	≥15	≥16	≥2500	≥2500	
HZKJ-D40	40	0.2	≥85	≥90	≥16	≥16	≥2000	≥2000	
HZKJ-D50	50	0.22	≥120	≥125	≥18	≥16	≥1800	≥1800	
HZKJ-D60	60	0.26	≥130	≥132	≥20	≥19	≥1500	≥1500	
HZKJ-D70	70	0.27	≥150	≥155	≥20	≥22	≥1200	≥1200	
HZKJ-D80	80	0.32	≥160	≥165	≥20	≥22	≥1000	≥1000	
HZKJ-D90	90	0.33	≥200	≥205	≥20	≥22	≥800	≥800	
HZKJ-D100	100	0.35	≥250	≥260	≥22	≥22	≥600	≥600	
HZKJ-D120	120	0.39	≥280	≥290	≥22	≥23	≥400	≥400	
HZKJ-D150	150	0.4	≥320	≥330	≥22	≥23	≥300	≥300	
HZKJ-D180	180	0.45	≥360	≥370	≥23	≥23	≥220	≥220	
HZKJ-D200	200	0.52	≥520	≥530	≥23	≥25	≥180	≥180	
HZKJ-D220	220	0.53	≥550	≥560	≥23	≥25	≥180	≥180	
HZKJ-D240	240	0.63	≥600	≥580	≥23	≥25	≥180	≥180	
HZKJ-D250	250	0.64	≥620	≥610	≥22	≥23	≥180	≥180	
HZKJ-D260	260	0.7	≥620	≥610	≥22	≥23	≥180	≥180	

## HZKJ-K

A close-up photograph of a white, nonwoven fabric with a repeating grid pattern of small, raised squares. The fabric is shown at an angle, creating a sense of depth. The background is black.


[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

The image shows a close-up of a white nonwoven fabric with a repeating grid pattern of small squares. The fabric is set against a solid black background, which is visible in the top-left and bottom-left corners. The fabric's texture appears slightly fibrous and matte.

[www.nonwovenproductsupplier.com](http://www.nonwovenproductsupplier.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)





[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)


□□□□□□HZKJ-K□□□□□□



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

## HZKJ-K

Q	A
Q1	A1
Q2	A2 1; 1ton
Q3	A3
Q4	A4
Q5	A5
Q6	A6 2-4
Q7	A7 OEM

