

□□□□□□□□□□□□□□□□□□□□□□□□

□□	□□□□□□□□□□□□□□□□□□□□
□□□	□□□
□□□□□	□□
□□	□□□□
□□□□	□□□
□□	□□□□□□□□
□□□□	1.8M, 2.1M, 2.5M, 3.2M □□□□□□
□□	<ol style="list-style-type: none"> <li>1. □□□□□□□□</li> <li>2. □□□□□□□□</li> <li>3. □□□□□□□□□□□□□□□□□□</li> <li>4. □□□□□□□□</li> <li>5. □□□□□□□□</li> <li>6. □□□□□□□□□□□□□□</li> <li>7. □□□□□□□□□□□□□□</li> <li>8. □□□□□□□□□□□□□□</li> </ol>
□□	□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□







□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□



Production Line



Product Packaging



Loading



本公司生產的各種規格的不銹鋼管，均採用58500...  
2005...  
1.6M、1.9M、2.1M、2.5M、3.2M...  
...

...

本公司通過SGS、MSDS、BUREAU VERITAS、CE、Nemko、  
TüV、ATC、CTI...  
“...”...



