

□□□□ □□□□□□□□□□□□□□□□

□□	□□□□□□□□□□
□□□□□□	□□
□□	□□□□
□□	22□□
□□	□□□□□
□□□□□	2.2□□□□□□□□□□
□□	40gsm□□□□□□□□□□38-100gsm□
□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□	1.□□□□□□□□□□□□□□□□ 2.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 3.□□□□□□□□□□□□□□□□


□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□









□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

□□□□□□□□□□□□□□□□□□□□

Junqian□□□□□□□□□□□□□□□□ - Guide□□
□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□
2.1□□2.5□□3.2□□6□□□□□□□□□□□□
□□□

□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□;□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□
 □□□
 □□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

□□□□□□□□□□□□□□□□□□

□	□□
Q1□□□□□□□□	A1□□□□□□□□
Q2□□□□□□□□□□□□	A2□□□□□1□

Q3	A3
Q4	A4 PC
Q5	A5
Q6	A6 2-4
Q7	A7 OEM
Q8	A8 24