


□□□□ RX07-BW SS□□□□□□□□□□□□

□□	RX07-BW SS□□□□□□□□□□□□
□□□	□□□
□□□□□	□□
□□	□□□□
□□□□	□□□
□□	□□□□□+□□□
□□□□	1.6m□1.8m□2.0m□2.4m□3.2m□□□□□□□□□□
□□	80gsm□□□□□□□□□□12-80gsm□
□□	□□ □□□□□□□□□□; □□□□□□;
□□	□□&□□□□

□□□□ RX07-BW SS□□□□□□□□□□□□



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guldenonwoven.com](http://www.guldenonwoven.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

□□□□□□RX07-BW SS□□□□□□□□□□□□



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

RX07-BW SS

Q	A
Q1	A1
Q2	A2 1; 1ton
Q3	A3
Q4	A4
Q5	A5
Q6	A6 3-6
Q7	A7 OEM
Q8	A8 24

