


Product Description of Mn400gsm Polyester Needle Punch Non Woven Geotextile Filter Fabric

Item	Mn400gsm Polyester Needle Punch Non Woven Geotextile Filter Fabric
Raw Material	polyester fiber
Nonwoven Technic	Needle Punch
Grade	A grade
Dotted Design	Plain weave
Colors	Gray Color
Feature	It owns high tensile strength,elongation,resistance to perforation and tear,lower shrinkage and strong affinity for bitumen.
Special Treatment	printing
Applications	Stablizing foundation and surface of highway,railway and airport; reinforcing highway and railway built on loose and soft foundation ; reinforcing and protecting dike and dam; draining and reinforcing material for reclaiming seabeach and swamp .

Product Show of Mn400gsm Polyester Needle Punch Non Woven Geotextile Filter Fabric

A close-up photograph of a dark grey, textured nonwoven fabric. The fabric has a distinct scalloped or wavy edge. The texture is fibrous and appears soft. The lighting is even, highlighting the fine details of the material's surface.

www.nonwovenproductsulipper.com

www.guidenonwoven.com



Product Packaging and Shipping of Mn400gsm Polyester Needle Punch Non Woven Geotextile Filter Fabric



30pieces/bag,
or custom-order



strong carton



transporting the goods
to the port



loaded in container

FAQ of Mn400gsm Polyester Needle Punch Non Woven Geotextile Filter Fabric

Question	Answer
Q1: Do you have it in stock ?	A1: Yes,we have.
Q2: What is your MOQ ?	A2: customized:1 TON
Q3: How can I get the sample ?	A3: If you need sample to test, we can make it as per your request. But we need to charge sample fees. If it is our regular product in stock, you just pay freight cost and sample is free.
Q4: What is your package detail ?	A4: customer's requirements
Q5: What should I do if I cannot find what I looking for on your website ?	A5: Please feel free to contact us by email and send detailed information for the product you look for.We will check whether it is available.

Q6: What about lead time for mass production ?	A6: Honestly, it depends on the order quantity and the season you place order. Generally speaking, the lead time is about 3-6 weeks. So we suggest that you start inquiry as earlier as possible.
Q7: Is it all right to make customer's own brand name ?	A7: Sure. We warmly welcome the OEM clients. We can discuss the package, design, etc.
Q8: When can I get the price ?	A8: Usually we quote within 24 hours after we get your inquiry detail. If you are very urgent to get the price, please call us or tell us in your email so that we will quote your the price as soon as possible.