

□□□□ □□HL-07D□□PP□□□□□□□□□□□□□□□□□□

□□	□□HL-07D□□PP□□□□□□□□□□□□□□□□□□
□□□	□□□□□□□
□□□□	□□□□□□□
□□□□	□□
□□□□□□□	<a href="#">□□□□□</a>
□	□□□□□□□□□□□□□□□□□□
□□□	2.4m□3.2m□□□□□□□□□□□□□□
□□	20gsm□□□□□□□□□□□□□□□□15□200gsm□
□□	P□□□□□□□□
□□□□□□□□	<a href="#">□□</a> □□□ □□

□□□□□□ □□HL-07D□□PP□□□□□□□□□□□□□□□□□□





[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

HL-07D PP





Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

HL-07D PP

Q1	A1
Q2 MOQ	A2 1
Q3	A3
Q4	A4
Q5	A5
Q6	A6 2 4

Q7	A7 OEM
Q8	A8 24