


□□□□ □□□□□HL-07B PP□□□□□□□□□□□□□□□□

□□□□	□□□□□HL-07B PP□□□□□□□□□□□□□□□□
□□□	□□□□□□□
□□□□	<a href="#">□□□□□□</a>
□□□□	□□□□
□□□□□□□	□□□□□
□	□□□□□□□□□□□□□□□□
□□□	2.4m□3.2m□□□□□□□□□□□□
□□	20gsm□□□□□□□□□□□□□□□□12□200gsm□
□□□□□□	<a href="#">P□□□□□□□</a>
□□□□□□□□	<a href="#">□□□□□□□□</a> □□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□ □□□□□□HL-07B PP□□□□□□□□□□□□□□□□



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)





[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

HL-07B PP



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

HL-07B PP FAQ

Q1	A1
Q2 MOQ	A2 1
Q3	A3
Q4	A4
Q5	A5
Q6	A6 2 4

Q7	A7 OEM
Q8	A8 24