


PDSC-LS


| | |
|----------|---------|
| □□ | PDSC-LS |
| □□□ | |
| □□□□ | |
| □□□□ | |
| □□□□□□ | |
| □ | |
| □□ | |
| □□□□□□□□ | |
| □□□□□□□□ | |
| □□□□□□□□ | DIY |

PDSC-LS



www.nonwovenproductsulipper.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com

PDSC-LS 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

PDSC-LS FAQ

| | |
|--------|--------|
| Q1 | A1 |
| Q2 MOQ | A2 500 |
| Q3 | A3 |
| Q4 | A4 |
| Q5 | A5 |
| Q6 | A6 3-6 |

| | |
|----|--------|
| Q7 | A7 OEM |
| Q8 | A8 24 |