


□□□□ □□□□□□□□100□□□□□□□□□□□□□□□□□□□□

□□	□□□□□□□□100□□□□□□□□□□□□□□□□□□□
□□□	100□□□□□□
□□□□	□□□□□□
□□□□	□□
□□	□□□□
□	□□□□□□□□□□□□□□
□□□	2.2□□□□□□□□□□□□□□□□□□
□□	65gsm□□□□□□□□□□□□□□□□38□100gsm□
□□	□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□
□□□□□□□□	1.□□□□□□□□□□□□□□□□ 2.□□□□□□□□□□□□□□□□□□□□□□ 3.□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□100□□□□□□□□□□□□□□□□□□□□



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

10



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

100

Q1	A1
Q2 MOQ	A2 1
Q3	A3
Q4	A4
Q5	A5
Q6	A6 3-6

Q7	A7 OEM
Q8	A8 24