

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□PP

□ □ □ □ □ □ □ □ □ □ □ □

□□□□□□**B**□□□

□□□□80 gsm

11

□□□1.6cm

[illegible]

□□□□□□□□

10-65gsm/ /

60120gsm

10-70gsm

2060gsm

30-120gsm

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]







玫瑰玫瑰 玫瑰玫瑰玫瑰玫瑰玫瑰

玫瑰玫瑰玫瑰玫瑰玫瑰玫瑰玫瑰



□□□□□□□□□□□□□□□□□□□□



Production Line



Product Packaging



Loading

UNQIAN NONWOVEN COMPANY

UNQIAN NONWOVEN COMPANY
58500 - FOSHAN GUIDE
1.6M 1.9M 2.1M 2.5M 3.2M
1.6M 1.9M 2.1M 2.5M 3.2M
1.6M 1.9M 2.1M 2.5M 3.2M
1.6M 1.9M 2.1M 2.5M 3.2M
1.6M 1.9M 2.1M 2.5M 3.2M

1.6M 1.9M 2.1M 2.5M 3.2M
1.6M 1.9M 2.1M 2.5M 3.2M

1.6M 1.9M 2.1M 2.5M 3.2M

SGS MSDS BUREAU VERITAS CE Nemko
TüVRheinland ATC CTI
REACH
RoHS
CE
CE



 FAQ

問	問
Q1	A1
Q2	A2
Q3	A3

Q4	A4
Q5	A5
Q6	A6
Q7	A7
Q8	A8