

□□□

□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□	□□□□□□□□□□PVA□□
□□□□□□□□	□□□□□□□□
□□	□□
□□□□□□□□	□□□□□
□	□□□□□□□□□□□□□□□□□□□□
□□□□	15GSM□17GSM□21GSM□25GSM□□□□□□□□□□□□□□□□□□□□□11GSM-20GSM□
□	1800mm□□□□□□□□□□□□□□□□
□□	1.□□□□□□□□□□;□□□□□□□□□□MD/CD□□□□□□□□□□□□□□□□□□□□□ 2.□□□□□□□□;□□□□□□□□□□□ 3.□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□







□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container



UNQIAN NonWoven Co., Ltd. Foshan GUIDE
2005
1.6m 1.9m 2.1m 2.5m 3.2m
SGS MSDS Bureau Veritas CE Nemko

SGS MSDS Bureau Veritas CE Nemko

TüvRheinland ATC CTI
 Quality First Resporting



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

FAQ

Q1	A1
Q2 MOQ	A2 1ton

Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7
Q8	A8