


YZ-C1

YZ-C1	
	3.2M
	100 25 55gsm 55gsm
	<25gsm 25-55gsm > 55gsm

YZ-C1



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

非織造產品YZ-C1

非織造產品





Production Line



Product Packaging



Loading

YZ-C1

JUNQIAN  
 58500 - GUIDE  
 2005  
 1.6M 1.9M 2.1M 2.5M 3.2M  
 PP  
 sms

SGS、MSDS、BUREAU VERITAS、CE、Nemko  
TüvRheinland、ATC、CTI  
“ ”  
 ”  
 ”



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

YZ-C1



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

YZ-C1 FAQ

Q1	A1
Q2 MOQ	A2 1
Q3	A3
Q4	A4
Q5	A5
Q6	A6 2 4



Q7	A7 OEM
Q8	A8 24