[illegible] ZJJYL - S2012[illegible]

[illegible]	ZJJYL - S2012[illegible]
[illegible]	ES[illegible]PP[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	≤3200[illegible]
[illegible]	[illegible]20-110gsm[illegible]
[illegible]	[illegible] [illegible][illegible] [illegible][illegible]
[illegible]	[illegible] [illegible][illegible]

[illegible] ZJJYL - S2012[illegible]

www.nonwovenproductsulipper.com
www.guidenonwoven.com

ZJJYL - S2012[illegible]



ZJJYL - S2012□□□□□□□□□□□□□□□□□□□□□□□□□FAQ

□□	□□
Q1□□□□□□□□□□	A1□□□□□□□□□
Q2□□□□□MOQ□□□□□□	A2□□□□□□□□□1□□
Q3□□□□□□□□□□□□□□□□□□□	A3□□
Q4□□□□□□□□□□□□□□□□□□□	A4□□□□□□□□□□□□□□□□
Q5□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	A5□□
Q6□□□□□□□□□□□□□□□□□□□	A6□□□2□4□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q7[illegible]	A7[illegible]OEM[illegible]
Q8[illegible]	A8[illegible]24[illegible]