

PET PVA


	PET, PVA
	A
	, , .
	40gsm, 120gsm (25-120gsm)
	1800mm
	1. , . 2. , .
	, electro industry.also used , .

PET PVA




www.nonwovenproductsulipper.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com

☐☐☐ PET ☐ PVA ☐☐ ☐☐☐☐ ☐☐ ☐☐ ☐☐☐



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

FAQ PET & PVA

Q1 : What is the MOQ?	A1 : 1 ton.
Q2 : What is the MOQ?	A2 : 1 ton
Q3 : What is the lead time?	A3 : The lead time depends on the quantity and the specification. The lead time is 3-6 weeks. The lead time is 3-6 weeks.
Q4 : What is the price?	A4 : The price depends on the quantity and the specification.
Q5 : What is the payment term?	A5 : The payment term is T/T. The payment term is T/T.
Q6 : What is the shipping method?	A6 : The shipping method is by sea. The shipping method is by sea. The shipping method is by sea.

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 00 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 00000. 0000 0 00 0000 00 000000.