

BFE99 Meltblown 300 300

| | |
|--------------|--|
| Material | BFE99 Meltblown 300 300 |
| Color | White |
| Weight | 300gsm |
| Width | 300cm |
| Length | 300m |
| Thickness | 0.15mm |
| Strength | 300N |
| Permeability | ≤3200m, 0.1μm |
| Usage | 300 300 (10-60gsm) |
| Properties | High strength, high modulus, high elongation, high tear strength, high impact strength |
| Applications | Medical masks, face masks, air filters, car air filters, etc. |

BFE99 Meltblown 300 300

[BFE99 Meltblown 300 300](#)







□□□□□□□□□□

□□ □□□ □ BFE99 □ □□□□ □□ □□□ □□ □□ □□



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

常见问题 BFE99 Meltblown 常见问题 FAQ

| | |
|-------------------------------|---|
| 问题 | 问题 |
| Q1 : 问题 问题? | A1 : 问题, 问题 问题. |
| Q2 : 问题 MOQ? | A2 : 问题 问题 问题 : 1ton |
| Q3 : 问题 问题 问题? | A3 : 问题 问题 问题, 问题 问题 问题 问题. 问题 问题 问题 问题. 问题 问题 问题 问题 问题 问题 问题. |
| Q4 : 问题 问题? | A4 : 问题 问题 PC, 问题 问题 问题 |
| Q5 : 问题 问题 问题 问题 问题 问题 问题 问题? | A5 : 问题 问题 问题 问题 问题 问题 问题 问题. 问题 问题. |
| Q6 : 问题 问题 问题 问题? | A6 : 问题, 问题 问题 问题 问题 问题. 问题 问题 问题 问题 2-4 问题. 问题 问题 问题 问题 问题 问题. |

| | |
|---|--|
| Q7 : 0000 0000 0000 0000 00 00000 0? | A7 : 000000. 0000 00000 OEM 0000 000000. 0000, 0000 00 00 0 0 00000. |
| Q8 : 00 00 0000 0000 00000? | A8 : 00 0000 24 00 0000 00 0 0000 00. 0000 00 0000 00 00 00 00000 00000000. 0000 00 0000 00 00000000. |