

HB8 # PP SMS

□	HB8 # PP SMS
□□	□□ □□□□
□□□ □□	□□ □□ + □ □□□□ + □□ □□ (SMS)
□□	A □
□□ □□□	□□ □□
□□ □□	HB8 #
□□ □□	3.2M, □□ □□□□□ □ □□
□□:	<ul style="list-style-type: none"> · 100 % □□ □□ □□□□ □□ · □□ □□ elongation · □□□□ □□, □ □□□□, □□□ □ □□□ □□ · □□, □□□
□□ □□	<p>□□ (□□ & lt; 25gsm) : □□□, □□ □□, □□ □□□, □□□ □□□ □□□ □□ □□ □ □□.</p> <p>□□ (□□ 25 ~ 55gsm) : □□□ □□ □ □□ □□□, □ □□, □□ □□□, □□ □.</p> <p>□□□ (□□ > 55gsm) : □□ □ □□ □□ □□, □□ □□ □□, □□ □□ □□ □□, □□□ □, □□ □□ □□ □□</p>

□□	□□	□□	□□
□□ □□	gsm	50.61	ASTM D3776
MD □□ □□	N / 5cm	148.57	ASTM D5035-95
CD □□ □□	N / 5cm	59.3	ASTM D5035-95
MD □□	%	110.1	ASTM D5035-95
CD □□	%	85.43	ASTM D5035-95
□□□□ □□	cm H ₂ □□	50.2	IST 80.6
□□ □□□	L / m ² ·□□	167.15	ASTM D737-75

HB8 # PP SMS

SMS



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com



□□ □□□□ HB8 # PP SMS □ □□ □□ □□

www.nonwovenproductsulipper.com



Disposable Underwear



Nonwoven Shoes Cover



Protective Clothing



Nonwoven Pillow bag



Nonwoven Bed Sheet



Face Mask



Medical Wrapping



Disposable Bouffant Cap



Nonwoven Sleeve

☐☐ ☐☐ ☐☐ HB8 # PP SMS ☐☐ ☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐

[Spunbond ☐☐☐☐☐☐](#)



Production Line



Product Packaging



Loading

HB8 # PP SMS

JUNQIAN NONWOVEN 58500 GUIDE 2005 1.6M, 1.9M, 2.1M, 2.5M, 3.2M PP (SMS) sms

...

SGS, MSDS, BUREAU VERITAS, CE, Nemko 认证 证书 齐全 且 符合 国际 标准 要求。
 TUV Rheinland, ATC, CTI 等。 拥有 完善 的 质量管理体系 和 检测 设备，
 能够 提供 全面 的 检测 服务。 同时 拥有 丰富 的 生产 经验 和 技术 人才，
 能够 提供 全方位 的 生产 服务。 "Quality First, Reputation Builds" 质量 第一，
 信誉 铸就 品牌。 "， 我们 将以 卓越 的 品质， 竭诚 为 广大 客户 服务。
 谢谢。



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

专业生产 HB8 # PP SMS 无纺布 卷材 及 各种 规格 的 无纺布 产品



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



loaded in container



transporting the goods
to the port

HB8 # PP SMS FAQ

Q1 : MOQ ?	A1 : 1 roll.
Q2 : MOQ ?	A2 : 1 roll
Q3 : How long can I use ?	A3 : It depends on the usage. For example, for the production of woven bags, it can be used for 2-4 weeks. For the production of other products, it can be used for 1-2 months.
Q4 : How long can I use ?	A4 : It depends on the usage.
Q5 : How long can I use ?	A5 : It depends on the usage.
Q6 : How long can I use ?	A6 : It depends on the usage. For example, for the production of woven bags, it can be used for 2-4 weeks. For the production of other products, it can be used for 1-2 months.

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 0000 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 0000 0000 00 0000 00 00000000.