


GR3 # 25gsm SMS

GR3 # 25gsm SMS	GR3 # 25 gsm SMS
	25gsm
	25gsm + 25gsm + SMS (SMS)
A	A
GR3 #	GR3 #
3.2M, 25gsm	3.2M, 25gsm
	<ul style="list-style-type: none"> - 25gsm - 25gsm, 25gsm - 25gsm 25gsm, 25gsm 25gsm, 25gsm - 25gsm 25gsm, 25gsm
	25gsm / 25gsm 25gsm, 25gsm

25gsm	gsm	25.5	ASTM D3776
MD 25gsm	N / 5cm	69.3	ASTM D5035-95
CD 25gsm	N / 5cm	29.53	ASTM D5035-95
MD 25gsm	%	95.6	ASTM D5035-95
CD 25gsm	%	91.53	ASTM D5035-95
25gsm 25gsm	cm H ₂ O	35.5	IST 80.6
25gsm 25gsm	L / m ² ·25gsm	281.65	ASTM D737-75

GR3 # 25gsm SMS



www.nonwovenproductsulipper.com

www.guidenonwoven.com



□□ □□ □ □□ GR3 # □□ □□ 25 gsm □□ □□ □ SMS □ □□



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

GR3 # 25gsm SMS

Q1 : MOQ ?	A1 : 1 ton
Q2 : MOQ ?	A2 : 1 ton
Q3 : ... ?	A3 : ...
Q4 : ... ?	A4 : ...
Q5 : ... ?	A5 : ...
Q6 : ... ?	A6 : ... 2-4 ...

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 0000 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 0000 0000 00 0000 00 00000000.