

GTYLTC-R 鋼 鋼 PET 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼

鋼	GTYLTC-R 鋼 鋼 PET 鋼 鋼 鋼 鋼 鋼 鋼 鋼
鋼	鋼 鋼
鋼 鋼	鋼 鋼
鋼	A 鋼
鋼 鋼	鋼
鋼 鋼	鋼
鋼	50cm * 27m
鋼	鋼 鋼, 鋼, 鋼, 鋼, 鋼 鋼, 鋼 鋼, 鋼 鋼
鋼 鋼	鋼, 鋼
鋼 鋼	鋼 鋼, 鋼-鋼, 鋼, 鋼 鋼, 鋼-鋼, 鋼 鋼 鋼, 鋼 鋼 鋼, 鋼 鋼, 鋼 鋼 鋼, TNT 鋼 鋼 鋼, 鋼 鋼 鋼, 鋼-鋼-鋼

GTYLTC-R 鋼 鋼 PET 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com

www.nonwovensproductsulipper.com

GTYLTC-R PET

Q7 : ၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀၀ ၀?	A7 : ၀၀. ၀၀၀ OEM ၀၀၀ ၀၀၀ ၀၀၀၀၀. ၀၀၀, ၀၀၀ ၀၀ ၀၀ ၀ ၀ ၀၀၀၀.
Q8 : ၀၀ ၀၀၀၀၀ ၀ ၀၀၀၀?	A8 : ၀၀၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀ 24 ၀၀ ၀၀၀ ၀၀၀ ၀၀၀၀၀၀၀. ၀၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀၀.