

□□ □□ □ □□ □□ □□ □□□□ □□ □□ □ □□

□	□ □□ □ □□-□□□□-□□-□□-□ □□
□□	□□ □□□□
□□□□ □□ □□	□□-□□
□□	A □
□□ □□□	□□ □
□□ □□	□□□□ □□ □□□□ □ □□□□□.
□□ □□	1.6m, 1.8m, 2.0m, 2.4m, 3.2m, □□ □□□□□ □ □□
□□	50gsm, 60gsm, 70gsm, 80gsm, 90gsm, 100gsm □□ □□ □□ (15-200gsm)
□□	□□□□ □□, □□ □; □□, □□, □□, □□ □ □□ □□ □□□□ □□ □ □ □□□□. □□ - □□□ □ □□□ □□ □□
□□ □□	<ol style="list-style-type: none"> 1. □□□ □□ □□□□ □□ / □□ □ (10 ~ 40gsm □□□) 2. (15 ~ 30gsm □□□) □□□, □□ □□ □□ □□ 3. □ □□ (□□, □□, innerspring □□□□ □ □□, □□ interlining) □ □□ (15-45gsm) 4. (60 ~ 100gsm) □□□ □□□, □□□, □□ □□□, □□□ 5. (50 ~ 120gsm □□□ □□ □□) □□-□□□□ □ □□ interlining 6. (10 ~ 30gsm 1 % -5 % UV) □□ □□□ □□ □□ 7. (50 ~ 100gsm 1 % -5 % UV) □□□□ □□, □□ □□ □□□

□□ □ □ □□ □□ □□ □□□□ □□ □□ □ □□





www.nonwovenproductsulipper.com

www.guideonwoven.com



□□□ □□ □□ □□ □□□□ □□ □□ □ □□□ □□ □□ □ □□

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 0000 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 0000 0000 00 0000 00 00000000.