

ofLY2 # 25 gsm SMS

	LY2 # 25 gsm SMS
	+ (SMS)
	A
	LY2 #
	3.2M,
	<ul style="list-style-type: none"> <li>-</li> <li>-</li> <li>-</li> <li>-</li> </ul>
	/ ,


	gsm	24.06	ASTM D3776
MD	N / 5cm	59.57	ASTM D5035-95
CD	N / 5cm	26.77	ASTM D5035-95
MD	%	81.77	ASTM D5035-95
CD	%	70.37	ASTM D5035-95
	cm H <sub>2</sub>	31	IST 80.6
		0.91	AATCC 42

LY2 # 25gsm SMS

[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)





[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

☐☐ ☐☐ ☐ LY2☐ ☐☐ # ☐☐☐ ☐☐ 25 gsm ☐☐ ☐☐ ☐ SMS ☐ ☐☐



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

LY2 FAQ # 25gsm SMS

Q1 : 25gsm SMS?	A1 : 25gsm SMS.
Q2 : 25gsm MOQ?	A2 : 25gsm MOQ : 1ton
Q3 : 25gsm SMS 25gsm SMS?	A3 : 25gsm SMS 25gsm SMS 25gsm SMS 25gsm SMS 25gsm SMS. 25gsm SMS 25gsm SMS. 25gsm SMS 25gsm SMS.
Q4 : 25gsm SMS 25gsm SMS?	A4 : 25gsm SMS 25gsm SMS 25gsm SMS
Q5 : 25gsm SMS 25gsm SMS 25gsm SMS?	A5 : 25gsm SMS 25gsm SMS 25gsm SMS 25gsm SMS. 25gsm SMS 25gsm SMS.
Q6 : 25gsm SMS 25gsm SMS?	A6 : 25gsm SMS, 25gsm SMS 25gsm SMS 25gsm SMS. 25gsm SMS 25gsm SMS 2-4 25gsm SMS. 25gsm SMS 25gsm SMS.

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 0000 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 0000 0000 00 0000 00 00000000.