







00 00 0 0 0 000 00 000 000 00 G-String Spire Tanning 0 000 T 0 00

0.0.0.00

individually folded and packed



strong carton



7 pcs/pack



transporting the goods to the port



loaded in container

□□ □□□

□□ Junqian Nonwoven Co., Ltd., □□ □□ □ □□□ □□□ □□ - □□ Guide □□
□□ □□,□□ □□ □ □□ □□□□ □□□□ □□ □□□□□□.

□□□ □□ □□□□ □□□ 58500 □□ □□□ □□□ □□ □□□□□ □□□□□.
□□ □□ □ □□ □ □ □ □ □ □ □ □□ □□□□□,
□□ □ □ □□ □□□□ □ □□□ □□□□ □□□□□.

□□□ □ □□ □□ □ □ □□ □□□ 1.8 □□, 1.9 □□,

2.1 吋, 2.5 吋, 3.2 吋 及 6 吋, 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶.

鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶.
鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶.
鋼絲; 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶.

鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶 鋼絲 鋼帶.
鋼 G-String 鋼絲 鋼帶 鋼絲 T 鋼.



