

□□ □□ □ □ □□□ □ □ □ □□ □□ □ □ □□ □ □ □□ JQt7050-w-85

□	□□-□□□□-□□-□□-□-□□ □ □□□ □ □ □□□ □□ JQt7050-w-85
□□	□□ □□□ □□
□□□ □□ □□	□□ □□
□□	A □
□□□	□□□□ □
□□ □□	□□□ □□□ □□ □□
□□ □□	2.2m, □□ □□□□□ □ □□
□□	□□□□□ □
□□	□□□, □ □□□, □□ □□□, □□□□, □□□□
□□ □□	□□-□-□□□ □□, □□, □□ □□□ □□ □□□□□. □□-□□. □□□ □□, □□ □□, □□□ □□□ □□ □ □□□□.

□ □ □□□ □□ □□ □□ □ □ □□□ □□ □□ □ □ □□ JQt7050-w-85



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



[www.nonwovenproductsupplier.com](http://www.nonwovenproductsupplier.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



www.nonwovenproductsulipper.com

www.guidenonwoven.com

www.nonwovenproductsulipper.com JQt7050-w-85



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

□ □ □□ □□ FAQ □ □□□ □ □ □□ □ □ □□ JQt7050-w-85

□□	□□
Q1 : □□□ □□□□?	A1 : □, □□□□.
Q2 : □□□ MOQ□ □□□□□?	A2 : □□□ □□ : 1ton
Q3 : □□□ □□□ □□ □ □□□□?	A3 : □□□ □ □□□ □□□ □□ □□□ □□ □ □ □□□□. □□□□ □□ □□ □□ □ □□, □□□□ □□□□ □□□ □□□□□.
Q4 : □□□ □□ □□□ □□□□□?	A4 : □□□□□ □□□□□ □□□ □□ □□
Q5 : □□□ □ □□□□□ □□ □□□ □□ □□ □□□ □□□□□□□□?	A5 : □□ □□□ □□ □□□ □□□ □□ □□□ □□ □□□□□□□□. □□ □□□□ □□□ □□□□□□□□.
Q6 : □□ □□□ □□ □□□ □□□□□?	□□ 6 : □□□, □□□ □□□□□ □□□□ □□□ □□ □□□□. □□□□□□ □□ □□□ □ 3-6 □□□□□. □□□□ □□□ □□□ □□□□□ □□ □□□□.

Q7 : 0000 0000 0000 0000 00 00000 0?	A7 : 00. 0000 OEM 0000 0000 000000. 0000, 0000 00 00 0 0 00000.
Q8 : 00 000000 0 00000?	A8 : 000000 00 0000 0000 0 24 00 0000 0000 00000000. 0000 00 00 00 00 00 00000 00 0000 0000 00 0000 00 00000000.