

鋼 鋼 鋼 GT-M-PPSB-W01P 鋼鋼 鋼鋼 鋼 鋼鋼 鋼 鋼 鋼 鋼鋼鋼 鋼 鋼 鋼鋼

鋼	鋼 GT-M-PPSB-W01P 鋼鋼 鋼鋼 鋼 鋼鋼 鋼 鋼 鋼 鋼鋼鋼 鋼 鋼 鋼鋼
鋼	鋼 鋼鋼鋼
鋼鋼 鋼 鋼	鋼 鋼
鋼	A 鋼
鋼 鋼鋼	鋼-鋼
鋼 鋼	鋼 鋼 鋼鋼 鋼鋼 鋼 鋼鋼鋼.
鋼 鋼	2.4m, 3.2m, 鋼 鋼鋼鋼鋼 鋼 鋼
鋼	20gsm, 鋼鋼 鋼 (15-200gsm)
鋼	鋼鋼 鋼
鋼 鋼	鋼 鋼 鋼

鋼 鋼 鋼 GT-M-PPSB-W01P 鋼鋼 鋼鋼 鋼 鋼鋼 鋼 鋼 鋼 鋼鋼鋼 鋼 鋼 鋼鋼



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com

GT-M-PPSB-W01P Spunbond



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

Q1 : 1000 10000?	A1 : 1, 10000.
Q2 : 1000 MOQ 100000?	A2 : 1000 100 : 1 1000
Q3 : 1000 1000 100 1 10000?	A3 : 1000 1 1000 1000 100 1000 100 1 10000. 1000 100 1000 10000000. 100000 1000 100 100 1 100, 10000 10000 1000 100000.
Q4 : 1000 100 1000 100000?	A4 : 100000 100000 1000 100 100
Q5 : 1000 1 100000 100 1000 100 100 1000 10000000?	A5 : 100 1000 100 1000 1000 100 1000 1000 100 1000000. 100 10000 1000 100000000.
Q6 : 100 1000 100 1000 10000?	100 6 : 1000, 1000 10000 10000 1000 100 10000. 100000 100 1000 1 2-4 10000. 1000 1000 100 1000 10000 100 10000.

Q7 : ၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀၀ ၀?	A7 : ၀၀. ၀၀၀ OEM ၀၀၀ ၀၀၀ ၀၀၀၀၀. ၀၀၀, ၀၀၀ ၀၀ ၀၀ ၀ ၀ ၀၀၀၀.
Q8 : ၀၀ ၀၀၀၀၀ ၀ ၀၀၀၀?	A8 : ၀၀၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀ 24 ၀၀ ၀၀၀ ၀၀၀ ၀၀၀၀၀၀၀. ၀၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀ ၀၀၀၀ ၀၀ ၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀၀.