

Product Description of Wet-laid Nonwoven for Electronic / Acoustic Tuning / Dustproof


Item	Wet-laid Nonwoven Fabric
Material Composition	PVA fiber,PET fiber,aramid fiber,preoxidized fiber
Nonwoven Technic	Wet-laid
Grade	A grade
Dotted Design	Plain
Colors	multicolor, or as request are available
Average weight	24gsm,30gsm,60gsm,or as request are available(12-120gsm)
Width	within 1800mm, could be cut into small width
Feature	1.can making damping effect,through the nonwoven different thickness,air permeability level 2.nontoxic and harmless,green and environment friendly,can be naturally biodegradable
Applications	application in electrical equipment,electro industry.also used in high temperature resistance electronics dustproof pad,piece and so on

Product Show of Wet-laid Nonwoven for Electronic / Acoustic Tuning / Dustproof



www.nonwovenproductsupplier.com

www.guidenonwoven.com



www.nonwovenproductsupplier.com

www.guidenonwoven.com



www.nonwovenproductsulipper.com

www.guidenonwoven.com



Product Packaging and Shipping of Wet-laid Nonwoven for Electronic / Acoustic
Tuning / Dustproof



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container



FAQ of Wet-laid Nonwoven for Electronic / Acoustic Tuning / Dustproof

Question	Answer
Q1: Do you have it in stock ?	A1: No.
Q2: What is your MOQ ?	A2: Customized:1ton
Q3: How can I get the sample ?	A3: If you need sample to test, we can make it as per your request. But we need to charge sample fees. If it is our regular product in stock, you just pay freight cost and sample is free.
Q4: What is your package detail ?	A4: individually packed for each pcs,or customer's requirements
Q5: What should I do if I cannot find what I looking for on your website ?	A5: Please feel free to contact us by email and send detailed information for the product you look for.We will check whether it is available.

Q6: What about lead time for mass production ?	A6: Honestly, it depends on the order quantity and the season you place order. Generally speaking,the lead time is about 3-6 weeks. So we suggest that you start inquiry as earlier as possible.
Q7: Is it all right to make customer's own brand name ?	A7: Sure. We warmly welcome the OEM clients. We can discuss the package, design, etc.
Q8: When can I get the price ?	A8: Usually we quote within 24 hours after we get your inquiry detail. If you are very urgent to get the price, please call us or tell us in your email so that we will quote your the price as soon as possible.