

Product Description of China Agricultural Ground Cover Custom Anti Aging Breathable Nonwoven Agricultural Ground Cover


| | |
|------------------|---|
| Item | China Agricultural Ground Cover Custom Anti Aging Breathable Nonwoven Agricultural Ground Cover |
| Raw Material | Polypropylene |
| Nonwoven Technic | spunbond |
| Grade | A grade |
| Dotted Design | small square dots |
| Colors | White or made-to-order |
| Standard Width | 1.8M, 2.1M, 2.5M, 3.2M, could be spliced non woven fabric maximum width of 42 meters |
| Advantages | <ul style="list-style-type: none"> a) protects plants from harmful solar radiation b) ripen vegetation of plants c) protects plants from pests and weather conditions d) protects plants from warm up during sunny days e) protects plants from freeze and improve thermal condition during cool day f)not allow to create a steam and decrease a risk of many illness g) under cover is created a favourable microclimate h) blocks weed growing i) air permeability, water permeability j) mothproof, eco-friendly, breathable, anti-bacteria, tear-resistant,biodegradable |

Product Show of China Agricultural Ground Cover Custom Anti Aging Breathable Nonwoven Agricultural Ground Cover

[China agricultural non-woven material manufacturer](#)







Product Packaging & Shipping of China Agricultural Ground Cover Custom Anti Aging Breathable Nonwoven Agricultural Ground Cover

[China agricultural ground cover custom](#)



Company Profile

Guangzhou Junqian Nonwoven Co., Ltd., with its own sales and marketing company - **Foshan Guide Textile Co., Ltd.**, has been a leader in promoting environmental protection and sustainability.

Our factory located in Guangzhou, covering an area of 58500 square meters, and we not only specialized in the production of coiled material non woven fabric and non woven fabric post processing products, but also providing non woven related consultant and agency service.

We equip several advanced non woven production lines with width range of 1.8 meters, 1.9 meters, 2.1 meters, 2.5 meters□3.2 meters and 6 meters, outputting in various colors and wide range of specifications.

Our strict management system and the professional team guarantee the premium quality of the products. We monitor the entire production process from the acquisition of raw materials to the delivery of the finished product; and ensure the highest standard is achieved.

We specialized in manufacture of Anti Aging Breathable Nonwoven Agricultural Ground Cover. We can not only control the quality and production progress, but also provide high-quality, satisfying and competitive products for customers.



FAQ of China Agricultural Ground Cover Custom Anti Aging Breathable Nonwoven Agricultural Ground Cover

| Question | Answer |
|--|---|
| Q1: Do you have it in stock ? | A1: Yes,we have. |
| Q2: What is your MOQ ? | A2: Customized:1 ton |
| Q3: How can I get the sample ? | A3: If you need sample to test, we can make it as per your request. But we need to charge sample fees. If it is our regular product in stock, you just pay freight cost and sample is free. |
| Q4: What is your package detail ? | A4: individually packed for each pcs,or customer's requirements |
| Q5: What should I do if I cannot find what I looking for on your website ? | A5: Please feel free to contact us by email and send detailed information for the product you look for.We will check whether it is available. |
| Q6: What about lead time for mass production ? | A6: Honestly, it depends on the order quantity and the season you place order. Generally speaking,the lead time is about 2-4 weeks. So we suggest that you start inquiry as earlier as possible. |
| Q7: Is it all right to make customer's own brand name ? | A7: Sure. We warmly welcome the OEM clients. We can discuss the package, design, etc. |
| Q8: When can I get the price ? | A8: Usually we quote within 24 hours after we get your inquiry detail. If you are very urgent to get the price, please call us or tell us in your email so that we will quote your the price as soon as possible. |