[illegible] CSPCD 55 100[illegible]

[illegible]	CSPCD 55 100[illegible]
[illegible]	100[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible] [illegible]
[illegible]	3.2m[illegible]
[illegible]	55gsm[illegible]40-200gsm[illegible]
[illegible]	[illegible]
[illegible]	[illegible]

[illegible] CSPCD 55 100[illegible]

www.nonwovenproductsulipper.com
www.guidenonwoven.com

www.nonwovenproductsulipper.com
www.guidenonwoven.com

□□□□□□□□CSPCD 55 100□□□□□□□□□□□□□□□



transporting the goods to the port

loaded in container

CSPCD 55 100□□□□□□□□□□□□□□□□□□□□□

□	□□
Q1□□□□□	A1□□□□□□□
Q2□□□□□□□□□□	A2□□□□1□;□□□1ton
Q3□□□□□□□	A3□□
Q4□□□□□□□□	A4□□□□□□□□□□□□
Q5□□□□□□□□□□□□□□□□□□□□	A5□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
Q6□□□□□□□□□□□	A6□□□□□□□□□□□□□□□□□□□□□□□□□□2-4□□□□□□□□□□□□□□□□
Q7□□□□□□□□□□□□	A7□□□□□□□□OEM□□□□□□□□□□□□□

Q8[illegible]	A8[illegible]24[illegible]