

LY2 25 gsm SMS

| | |
|----|---|
| 品名 | LY2 25 gsm SMS |
| 規格 | |
| 用途 | + + SMS |
| 材質 | |
| 重量 | |
| 色相 | LY2 |
| 幅 | 3.2M |
| 特徴 | <ul style="list-style-type: none"> 100 elongation |
| 備考 | <p>Gram < 25gsm</p> <p>25 ~ 55gsm</p> <p>Gram > 55gsm</p> |

| 項目 | 規格 | 値 | 規格 |
|----|-------|-------|---------------|
| 規格 | GSM | 24.06 | ASTM D3776 |
| MD | N / 5 | 59.57 | ASTM D5035-95 |
| CD | N / 5 | 26.77 | ASTM D5035-95 |
| MD | | 81.77 | ASTM D5035-95 |
| CD | | 70.37 | ASTM D5035-95 |
| 厚さ | H.2Ø | 31 | IST 80.6 |
| 等級 | G | 0.91 | AATCC 42 |

LY2 25 gsm SMS


SMS



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com



www.nonwovenproductsulipper.com

LY2 25 gsm SMS



Disposable Underwear



Nonwoven Shoes Cover



Protective Clothing



Nonwoven Pillow bag



Nonwoven Bed Sheet



Face Mask



Medical Wrapping



Disposable Bouffant Cap



Nonwoven Sleeve

LY225 gsm SMS



Production Line



Product Packaging



Loading

LY2 25 gsm SMS

JUNQIAN
 58500 - GUIDE
 2005
 1.6M 1.9M 2.1M 2.5M 3.2M
 pp
 sms

SGS MSDS BUREAU VERITAS CE Nemko
 TÜVRheinland ATC CTI
 “ ”
 “ ”
 ”



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

LY2 25 gsm SMS



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



loaded in container



transporting the goods
to the port

LY2 25 gsm SMS

| | |
|----|----|
| Q1 | A1 |
| Q2 | A2 |
| Q3 | A3 |
| Q4 | A4 |
| Q5 | A5 |
| Q6 | A6 |
| Q7 | A7 |

Q8

A8 24