

GR3 - SMS 25 gsm PP SMS


GR3 - SMS 25 gsm PP SMS	GR3 - SMS 25 gsm PP SMS
	+SMS
	GR3
	3.2M
	<ul style="list-style-type: none"> <li>-</li> <li>-</li> <li>-</li> <li>-</li> </ul>
	/

	GSM	25.5	ASTM D3776
MD	N /5	69.3	ASTM D5035-95
CD	N /5	29.53	ASTM D5035-95
MD		95.6	ASTM D5035-95
CD		91.53	ASTM D5035-95
	H.2Ø	35.5	IST 80.6
	L / <sup>2</sup> .S	281.65	ASTM D737-75

GR3 - SMS 25 gsm PP SMS



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



GR3 - SMS 25 gsm PP SMS



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

GR3 - SMS 25 gsm PP SMS

Q1	A1
Q2	A2
Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7

Q8

A8 24