


GR8SMS

|  |   |
|--|---|
|  | GR8SMS  |
|  |   |
|  | +SMS  |
|  |   |
|  |   |
|  | GR8   |
|  | 3.2M  |
|  | <ul style="list-style-type: none"> <li>100</li> <li>elongation</li> <li></li> <li></li> </ul> |
|  | <p>Gram &lt;25gsm</p> <p>25~55gsm</p> <p>Gram &gt; 55gsm</p>                                  |

|    | GSM  | 34.32  | ASTM D3776    |
|----|------|--------|---------------|
| MD | N /5 | 79.87  | ASTM D5035-95 |
| CD | N /5 | 31.73  | ASTM D5035-95 |
| MD |      | 80.37  | ASTM D5035-95 |
| CD |      | 76.10  | ASTM D5035-95 |
|    | H.2Ø | 36     | IST 80.6      |
|    | L /S | 197.18 | ASTM D737-75  |

GR8SMS

PP



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

GR8SMS

SMS



**Disposable Underwear**



**Nonwoven Shoes Cover**



**Protective Clothing**



**Nonwoven Pillow bag**



**Nonwoven Bed Sheet**



**Face Mask**



**Medical Wrapping**



**Disposable Bouffant Cap**



**Nonwoven Sleeve**

GR8SMS



Production Line



Product Packaging



Loading

GR8 SMS

JUNQIAN 58500 - GUIDE  
 2005  
 1.6M 1.9M 2.1M 2.5M 3.2M  
 pp  
 sms

SGS MSDS BUREAU VERITAS CE Nemko  
 TÜVRheinland ATC CTI  
 “ ”  
 “ ”  
 ”



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

GR8 SMS



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



loaded in container



transporting the goods  
to the port

GR8 SMS

|    |    |
|----|----|
| Q1 | A1 |
| Q2 | A2 |
| Q3 | A3 |
| Q4 | A4 |
| Q5 | A5 |
| Q6 | A6 |
| Q7 | A7 |



Q8

A8 24