

□□□□ □□□□□□□□

| | |
|-------|--|
| □□ | □□□□□□□□ |
| □□□ | 50□□□+ 50□□□ |
| □□□□□ | □□ |
| □□ | □□□□ |
| □□ | 22□□ |
| □□ | □□□□□□□□□□□□ |
| □□□□ | 2.2□□□□□□□□ |
| □□ | 40gsm□□□□□□□□□□38-100gsm□ |
| □□ | □□□□□□□□□□□□□□□□□□□□□□□□□□□□ |
| □□ | <ol style="list-style-type: none"> 1.□□□□□□□□□□□□□□ 2.□□□□□□□□□□□□□□□□□□ 3.□□□□□□□□□□□□ |

□□□□□□□□□□□□

□□□□







□□□□□□□□□□□□□□□□

□□□□



Packed in rolls,
with 2 " or 3 "
core inside,
strong poly
bags outside



transporting the goods
to the port



loaded in container

□□□□□□□□□□□□□□□□

Junqian - Guide
□□□□□□□□□□□□□□□□

58500□□□□□□□□□□
□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□

1.8□□1.9□□
2.1□□2.5□□3.2□□6□□□□□□□□□□
□□□

| | |
|----|--------|
| Q4 | A4 PC |
| Q5 | A5 |
| Q6 | A6 2-4 |
| Q7 | A7 OEM |
| Q8 | A8 24 |