

□□□□ □□□□□□□□□□SS PP□□□□□□□□□□QRX09-973


□□	□□□□□□□□□□ <a href="#">SS PP□□□□□</a> □□□□□□□□□□QRX09-973
□□□	□□□
□□□□□	□□
□□	□□□□
□□□□	□□□
□□	□□
□□□□	1.6m□1.8m□2.0m□2.4m□3.2m□□□□□□□□□□
□□	25gsm□□□□□□□□□□12-80gsm□
□□	□□□□□;□□□□□□□;□□□□□□□;
□□	□ &□□; □□ □□

□□□□ □□□□□□□□□□SS PP□□□□□□□□□□QRX09-973



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.guidenonwoven.com](http://www.guidenonwoven.com)

SS PP JQRX09-973



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



loaded in container



transporting the goods  
to the port

SS PP JQRX09-973

Q1	A1
Q2	A2
Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7

8

A8 24