


YZ-C1

YZ-C1	YZ-C1
	3.2M
	<ul style="list-style-type: none"> <li>100</li> <li>elongation</li> <li></li> <li></li> </ul>
	<p>Gram &lt;25gsm</p> <p>Gram 25~55gsm</p> <p>Gram &gt; 55gsm</p>

YZ-C1



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)



[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

[www.nonwovenproductsulipper.com](http://www.nonwovenproductsulipper.com)

YZ-C1





Production Line



Product Packaging



Loading

YZ-C1

JUNQIAN  
 58500 - GUIDE  
 2005  
 1.6M 1.9M 2.1M 2.5M 3.2M  
 pp  
 sms

SGS MSDS BUREAU VERITAS CE Nemko  
 TÜVRheinland ATC CTI  
 “ ”  
 “ ”  
 ”



Office Building



Warehouse Stock



Production Equipment



Foreign Trade Department

YZ-C1



Packed in rolls,  
with 2 " or 3 "  
core inside,  
strong poly  
bags outside



transporting the goods  
to the port



loaded in container

YZ-C1

Q	A
Q1	A1
Q2	A2
Q3	A3
Q4	A4
Q5	A5
Q6	A6
Q7	A7



Q8

A8 24